ELSEVIER

Neuroscience Letters 345 (2003) 202–204

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 345

Volume 345, no. 1

In vivo micro magnetic resonance imaging signal changes in scrapie infected mice
M. Sadowski, C.Y. Tang, J.G. Aguinaldo, R. Carp, H.C. Meeker, T. Wisniewski (USA) 1

Dioxin exposure down-regulates nitric oxide synthase and NADPH-diaphorase activities in the hypothalamus of Long-Evans rat
S.-B. Cheng, S. Kuchiiwa, X.-Q. Ren, H.-Z. Gao, T. Kuchiiwa, S. Nakagawa (Japan) 5

Expression patterns of inwardly rectifying potassium channel subunits in rat retina
M. Tian, L. Chen, J.-X. Xie, X.-L. Yang, J.-W. Zhao (PR China) 9

Removal of the superior cervical ganglia fails to block Fos induction in the accessory olfactory system of male mice after exposure to female odors
D. Pankevich, M.J. Baum, J.A. Cherry (USA) 13

Cortical motor areas in plantar response: an event-related functional magnetic resonance imaging study in normal subjects
K. Oishi, K. Toma, K. Matsuo, T. Nakai, K. Chihara, H. Fukuyama (Japan) 17

Insulin degrading enzyme (IDE) genetic variants and risk of Alzheimer's disease: evidence of effect modification by apolipoprotein E (APOE)
S.D. Edland, F. Wavrant-De Vriesé, D. Compton, G.E. Smith, R. Ivnik, B.F. Boeve, E.G. Tangalos, R.C. Petersen (USA) 21

Rate dependency of the human cortical network subserving executive functions during generation of random number series – a functional magnetic resonance imaging study
C. Daniels, K. Witt, S. Wolff, O. Jansen, G. Deuschl (Germany) 25

Early gene expression in the rat cortex after experimental traumatic brain injury and hypotension
D. Awasthi, S.C. Kutz, R. Beuerman, D. Nguyen, M.E. Carey, S. Zeiller (USA) 29

Neurotrophin-like immunoreactivity in the gut of teleost species
C. Lucini, L. Maruccio, N. Arcamone, C. Lamanna, L. Castaldo (Italy) 33

Postnatal changes in nerve growth factor and brain derived neurotrophic factor levels in the retina, visual cortex, and geniculate nucleus in rats with retinitis pigmentosa
T. Amendola, M. Fiore, L. Aloe (Italy) 37

Inhibition of the human soleus Hoffman reflex during standing without descending commands
N. Kawashima, H. Sekiguchi, T. Miyoshi, K. Nakazawa, M. Akai (Japan) 41

Spinal inhibitory synaptic transmission in the glycine receptor mouse mutant *spastic*
J. von Wegerer, K. Becker, D. Glockenhammer, C.-M. Becker, H.U. Zeilhofer, D. Swandulla (Germany) 45

Unimodal circadian rhythm in the suprachiasmatic nucleus of behaviorally splitting mice
T. Watanabe, T. Yoshimura, D.G. McMahon, S. Ebihara (Japan, USA) 49

Genetic analysis of a functional *GRIN2A* promoter (GT)n repeat in bipolar disorder pedigrees in humans
M. Itokawa, K. Yamada, Y. Iwayama-Shigeno, Y. Ishitsuka, S. Detera-Wadleigh, T. Yoshikawa (Japan, USA) 53

Increase of preprotachykinin mRNA in the uninjured mandibular neurons after rat infraorbital nerve transection
K. Tsuzuki, T. Fukuoka, M. Sakagami, K. Noguchi (Japan) 57

Signal transducer and activator of transcription-3 activation is mediated by *N*-methyl-D-aspartate receptor and L-type voltage-gated Ca^{2+} channel during cerebral ischemia in rat hippocampus
H. Li, Q. Zhang, G. Zhang (PR China) 61

Perturbations in the thiol homeostasis following neonatal cerebral hypoxia-ischemia in rats
A.L. Dafre, N.S. Arteni, I.R. Siqueira, C.A. Netto (Brazil) 65

Compatibility of bidirectional synaptic plasticity on hippocampo-prefrontal cortex pathway in rats
Y. Izaki, M. Takita, T. Akema (Japan) 69

ELSEVIER

Neuroscience Letters 345 (2003) 202–204

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 345

Volume 345, no. 1

In vivo micro magnetic resonance imaging signal changes in scrapie infected mice
M. Sadowski, C.Y. Tang, J.G. Aguinaldo, R. Carp, H.C. Meeker, T. Wisniewski (USA) 1

Dioxin exposure down-regulates nitric oxide synthase and NADPH-diaphorase activities in the hypothalamus of Long-Evans rat
S.-B. Cheng, S. Kuchiiwa, X.-Q. Ren, H.-Z. Gao, T. Kuchiiwa, S. Nakagawa (Japan) 5

Expression patterns of inwardly rectifying potassium channel subunits in rat retina
M. Tian, L. Chen, J.-X. Xie, X.-L. Yang, J.-W. Zhao (PR China) 9

Removal of the superior cervical ganglia fails to block Fos induction in the accessory olfactory system of male mice after exposure to female odors
D. Pankevich, M.J. Baum, J.A. Cherry (USA) 13

Cortical motor areas in plantar response: an event-related functional magnetic resonance imaging study in normal subjects
K. Oishi, K. Toma, K. Matsuo, T. Nakai, K. Chihara, H. Fukuyama (Japan) 17

Insulin degrading enzyme (IDE) genetic variants and risk of Alzheimer's disease: evidence of effect modification by apolipoprotein E (APOE)
S.D. Edland, F. Wavrant-De Vriesé, D. Compton, G.E. Smith, R. Ivnik, B.F. Boeve, E.G. Tangalos, R.C. Petersen (USA) 21

Rate dependency of the human cortical network subserving executive functions during generation of random number series – a functional magnetic resonance imaging study
C. Daniels, K. Witt, S. Wolff, O. Jansen, G. Deuschl (Germany) 25

Early gene expression in the rat cortex after experimental traumatic brain injury and hypotension
D. Awasthi, S.C. Kutz, R. Beuerman, D. Nguyen, M.E. Carey, S. Zeiller (USA) 29

Neurotrophin-like immunoreactivity in the gut of teleost species
C. Lucini, L. Maruccio, N. Arcamone, C. Lamanna, L. Castaldo (Italy) 33

Postnatal changes in nerve growth factor and brain derived neurotrophic factor levels in the retina, visual cortex, and geniculate nucleus in rats with retinitis pigmentosa
T. Amendola, M. Fiore, L. Aloe (Italy) 37

Inhibition of the human soleus Hoffman reflex during standing without descending commands
N. Kawashima, H. Sekiguchi, T. Miyoshi, K. Nakazawa, M. Akai (Japan) 41

Spinal inhibitory synaptic transmission in the glycine receptor mouse mutant *spastic*
J. von Wegerer, K. Becker, D. Glockenhammer, C.-M. Becker, H.U. Zeilhofer, D. Swandulla (Germany) 45

Unimodal circadian rhythm in the suprachiasmatic nucleus of behaviorally splitting mice
T. Watanabe, T. Yoshimura, D.G. McMahon, S. Ebihara (Japan, USA) 49

Genetic analysis of a functional *GRIN2A* promoter (GT)n repeat in bipolar disorder pedigrees in humans
M. Itokawa, K. Yamada, Y. Iwayama-Shigeno, Y. Ishitsuka, S. Detera-Wadleigh, T. Yoshikawa (Japan, USA) 53

Increase of preprotachykinin mRNA in the uninjured mandibular neurons after rat infraorbital nerve transection
K. Tsuzuki, T. Fukuoka, M. Sakagami, K. Noguchi (Japan) 57

Signal transducer and activator of transcription-3 activation is mediated by *N*-methyl-D-aspartate receptor and L-type voltage-gated Ca^{2+} channel during cerebral ischemia in rat hippocampus
H. Li, Q. Zhang, G. Zhang (PR China) 61

Perturbations in the thiol homeostasis following neonatal cerebral hypoxia-ischemia in rats
A.L. Dafre, N.S. Arteni, I.R. Siqueira, C.A. Netto (Brazil) 65

Compatibility of bidirectional synaptic plasticity on hippocampo-prefrontal cortex pathway in rats
Y. Izaki, M. Takita, T. Akema (Japan) 69

Volume 345, no. 2

Effects of antidepressant drugs and GR 205171, an neurokinin-1 (NK_1) receptor antagonist, on the response in the forced swim test and on monoamine extracellular levels in the frontal cortex of the mouse
A. Zocchi, G. Varnier, R. Arban, C. Griffante, L. Zanetti, L. Bettelini, M. Marchi, P.A. Gerrard, M. Corsi (Italy) 73
Fos but not *Cart* (cocaine and amphetamine regulated transcript) is overexpressed by several drugs of abuse: a comparative study using real-time quantitative polymerase chain reaction in rat brain
C. Marie-Claire, I. Laurendeau, C. Canestrelli, C. Courtin, M. Vidaud, B. Roques, F. Noble (France) 77
Endogenous zinc as a retinal neuromodulator: evidence from the skate (*Raja erinacea*)
F.J. Rosenstein, R.L. Chappell (USA) 81
Relative cerebral blood flow during the secondary expansion of a cortical lesion in rats
N. Plesnila, D. Friedrich, J. Eriskat, A. Baethmann, M. Stoffel (Germany) 85
Electroencephalographic(EEG)-based communication: EEG control versus system performance in humans
H. Sheikh, D.J. McFarland, W.A. Sarnacki, J.R. Wolpaw (USA) 89
Modulation of age at onset in Huntington's disease and spinocerebellar ataxia type 2 patients originated from eastern India
B. Chattopadhyay, S. Ghosh, P.K. Gangopadhyay, S.K. Das, T. Roy, K.K. Sinha, D.K. Jha, S.C. Mukherjee, A. Chakraborty, B.S. Singhal, A.K. Bhattacharya, N.P. Bhattacharyya (India) 93
Atropine, an anticholinergic drug, impairs memory retrieval of a high consolidated avoidance response in mice
M.M. Boccia, M.G. Blake, G.B. Acosta, C.M. Baratti (Argentina) 97
Free radicals are involved in continuous activation of nonreceptor tyrosine protein kinase c-Src after ischemia/reperfusion in rat hippocampus
J. Guo, F. Meng, G. Zhang, Q. Zhang (PR China) 101
High platelet-serotonin uptake activity is associated with a rapid response in depressed patients treated with amitriptyline
L. Franke, H.-J. Schewe, R. Uebelhack, B. Müller-Oerlinghausen (Germany) 105
The effect of stimulus-onset asynchrony on human visual event-related potentials during simple and choice reaction paradigms under constant or random conditions
M. Li, Y. Kuroiwa, S. Omoto, S. Hotta, Y. Suzuki, T. Kamitani, S. Koyano, H. Segawa (Japan) 109
Glutamate receptors in the terminal nerve gonadotropin-releasing hormone neurons of the dwarf gourami (teleost)
T. Kiya, Y. Oka (Japan) 113
Effects of microinjection of melatonin into various brain regions of Japanese quail on locomotor activity and body temperature
K. Nakahara, T. Kawano, K. Shiota, N. Murakami (Japan) 117
Cullin-5 is ubiquitous in the rat brain
T.E. Ceremuga, X.-L. Yao, J.T. McCabe (USA) 121
(±)-α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid and kainate receptor subunit expression in mouse versus rat spinal cord white matter: similarities in astrocytes but differences in oligodendrocytes
E. Brand-Schieber, P. Werner (USA) 126
Both dorsal and ventral hippocampus contribute to spatial learning in Long–Evans rats
J. Ferbinteanu, C. Ray, R.J. McDonald (USA, Canada) 131
RNA synthesis-dependent potentiation of α-amino-3-hydroxy-5-methyl-4-isoxazole propionate receptor-mediated toxicity by antihistamine terfenadine in cultured rat cerebellar neurons
R. Díaz-Trelles, A. Novelli, M.T. Fernández-Sánchez (Spain) 136
Valproate administration to mice increases histone acetylation and 5-lipoxygenase content in the hippocampus
E. Yildirim, Z. Zhang, T. Uz, C.-q. Chen, R. Manev, H. Manev (USA) 141

Volume 345, no. 3

Dorsal premammillary nucleus differentially modulates defensive behaviors induced by different threat stimuli in rats
D.C. Blanchard, C.I. Li, D. Hubbard, C.M. Markham, M. Yang, L.K. Takahashi, R.J. Blanchard (USA) 145
Acetyl-RYYRIK-NH_2, a purported orphanin FQ antagonist, does not block the orphanin FQ-induced prolactin secretory response in female rats
J. Janik, T. Krupica, L. Dengler, E. Murphree, P. Callahan (USA) 149
Flexor reflex excitability in mice lacking galanin receptor galanin-R1
S. Grass, A.S. Jacoby, T.P. Iismaa, J.N. Crawley, X.-J. Xu, Z. Wiesenfeld-Hallin (Sweden, Australia, USA) 153
Novel concepts mediate word retrieval from human episodic associative memory: evidence from event-related potentials
J. Kounios, P. Bachman, D. Casasanto, M. Grossman, R.W. Smith, W. Yang (USA) 157
The scotopic low-frequency spatial contrast sensitivity develops in children between the ages of 5 and 14 years
G. Benedek, K. Benedek, S. Kéri, M. Janáky (Hungary) 161
Absence of nalbuphine anti-analgesia in the rat
S.G. Khasar, R.W. Gear, J.D. Levine (USA) 165

Neuroprotection of naloxone against ischemic injury in rats: role of mu receptor antagonism
S.-L. Liao, W.-Y. Chen, S.-L. Raung, C.-J. Chen (Taiwan, ROC) 169
Inhibition of glycine response by amiloride in rat spinal neurons
Y.-F. Li, Y. Li, T.-L. Xu (China) 173
Lexical decision of nonwords and pseudowords in humans: a positron emission tomography study
K. Specht, C. Holtel, R. Zahn, H. Herzog, B.J. Krause, F.M. Mottaghy, I. Radermacher, D. Schmidt, L. Tellmann, S. Weis, K. Willmes, W. Huber (Germany) 177
Decreased dendrite growth from cultured mouse cortical neurons surviving excitotoxic activation of α-amino-3-hydroxy-5-methyl-4-isoxazole propionate/kainate receptors
H. Monnerie, S. Shashidhara, P.D. Le Roux (USA) 182
Stress-induced attenuation of brain stem activation following intestinal anaphylaxis in the rat
M.E. Kreis, M.H. Mueller, D. Reber, J. Glatzle, P. Enck, D. Grundy (Germany, UK) 187
Topical capsaicin therapy in humans with hemodialysis-related pruritus
E. Weisshaar, N. Dunker, H. Gollnick (Germany) 192
Long-term effects on brain opioid and opioid receptor like-1 receptors after short periods of maternal separation in rats
K. Ploj, I. Nylander (Sweden) 195

Author Index 198
Volume Contents 202